vogel's® | expanding experiences

expanding sales experiences

RETAIL CATALOGUE 2011/2012

LED/LCD/Plasma wall mounts, AV accessories, tablet mounting systems, game console accessories

Expanding business experiences

Gerdi Vogels
CEO Vogel's

This is a great year for Vogel's and I'm very proud of our significant accomplishments. Each of the products we introduced last year was a success and won prestigious awards. We will keep building on this momentum in the coming time. For the future, we are taking major steps in our brand strategy and product portfolio to meet changes in the CE market and in consumer behaviour. Change is both exciting and challenging, and I'm confident that we are taking the right actions to succeed in today's demanding business environment.

Why a new brand strategy and product line up...

Inspiring is the word that best captures the feeling of the new Vogel's Brand. This feeling is expressed in our new brand positioning: **expanding experiences.** A new look and feel and new orange brand colour have been created to signal this change over. All of this comes together in the different communication items and activities, such as packaging and our self-selling shop concept.

On the product side, we have revamped our complete flat screen wall mount portfolio. It will now be marketed under one new Vogel's identity. This new line-up serves all of our consumers' needs and takes advantage of new opportunities in the quickly evolving market for ultra thin screens.

Expanding products & markets

We are continuing to expand our existing wall mount product portfolio. Specific mounts are now available for medium sized flat screens in the ultra thin, LED section. And we are rapidly developing and introducing products for our new categories, including tablet mounting accessories and placement solutions for gaming consoles. This all contributes to helping us meet our goal of becoming the most desirable consumer brand for AV & multimedia device accessories.

These are exciting times we are living in. I'm delighted to share all of our new developments with you in this year's Retail Catalogue. Because you will play a key role in putting our new strategy to work and in helping us all to benefit from it.

Today Vogel's is stronger than ever and we are stronger together with you.

Gerdi Vogels
CEO Vogel's

Table of content

New brand strategy & product line up
Engaging consumers ____ 4
Expanding experiences ____ 5

Product leadership
A brand built on high standards ____ 6
Product overview ____ 8

New innovations
Extending our reach ____ 10
Accessories for tablets ____ 11
Mounting solutions for gaming consoles ____ 16

Consumer insights
Turning shoppers into buyers ____ 18

Retail support
Shelf navigation ____ 19
Packaging ____ 20
Online orientation ____ 22

Vogel's
LED/LCD/Plasma wall mounts ____ 23
LCD/Plasma wall mounts ____ 36
Floor stands ____ 41
Accessories ____ 42
Ceiling mount ____ 47
Projector solutions ____ 47
Loudspeaker mounts and stand ____ 48
LCD headrest mount ____ 49
Monitor desk mounts ____ 50

Physix by Vogel's
LCD/Plasma wall mounts ____ 53
Accessories ____ 59

Specifications

Engaging consumers

Over the years, your customers have chosen Vogel's products again and again because of the extra enjoyment they bring to AV & multimedia equipment. As a retailer, you can offer Vogel's products with confidence, knowing they will delight your customers while increasing your profits on sales. Now we would like to share our vision for the future of Vogel's. It's all about innovation in our brand strategy and product line up.

Why a new brand strategy and product line up?

Our new brand strategy clearly communicates the Vogel's brand to consumers. It marks a shift from a product brand that sells a piece of hardware to a consumer brand that creates an emotional connection with its products.

Focus on innovation

Alongside the new brand strategy, we will continue to innovate. For the product line up we have simplified the complete wall mount portfolio. It will be marketed under one new Vogel's identity and product types will be indicated by the words WALL and THIN. All mounts are designed for LED / LCD and Plasma flat screens. For Vogel's THIN products we are introducing new features and models for medium sized screens (26" to 42" / 66 - 107 cm). Vogel's WALL products are available for the full spectrum of screen sizes.

Next to our vast base of wall mounts we are marketing products for new categories, with tablet mounting accessories and placing solutions for gaming consoles.

Sales of ultra thin flat screens will continue to grow in the coming years.



Expanding experiences at home
This is an overview of all the living spaces where you can use Vogel's products. Each room in the house requires different functionality from the mount being used. In our communication this image will be used to inspire consumers about possible solutions for their specific living space/area.

Expanding experiences



These two words express our new brand positioning. Expanding is about opening things up and moving in new directions. Experiences is about enjoying all your senses and living life to the fullest. This is our promise to consumers, a promise that our products will enrich and enhance their AV & multimedia device experiences.

Making the right connection

This approach creates an immediate emotional connection between the consumer and the Vogel's product. It also explains which mounts are most suitable for different areas and devices. We are looking at various ways of communicating this concept to consumers:

- Dynamic visuals on packaging that show peoples interior with their CE device and Vogel's product
- Interactive tools like internet that show different ways how people can experience mounts to make their life more enjoyable
- Clear communication in brochures that suggest the best mount solutions for various rooms in a home

A brand built on high standards

We profoundly respect the power of knowledge. For almost 40 years, our team of industrial designers and engineers has accumulated a highly specialised body of knowledge on consumer preferences, materials, functional requirements, ergonomics and manufacturing processes related to the design, development and production of CE mounting products.

All Vogel's products comply with the highest industry standards for quality and safety. Only the best quality materials are used. All mounts are tested to carry at least three times the specified weight. The result is a longlasting, reliable product that consumers can trust to enhance the experience of their AV & multimedia devices.

Winning designs
Vogel's has produced many award-winning products over the years.

In 2011, Vogel's THIN 345 wall mount for ultra thin / LED screens was honoured again with the international Red Dot Award Product Design. In 2010, Vogel's was the first mounting manufacturer to receive this award.

1998

1999

2000

2002

2002

2006

2006

2007

2007

2007

2008

2008

2008

2009

2009

2009

reddot design award
winner 2010
2010

2011

2011

reddot design award
winner 2011
2011

reddot design award
winner 2011

Whatever the need for entertainment

Consumers have different tastes and requirements for their entertainment equipment. This communication helps to explore the Vogel's mounts that will work for them. No matter what product has been choosen, each one provides the guaranteed quality and hassle-free ownership they can expect from Vogel's.

expanding living room experiences

TURN **Easily watch TV from different spots in the room**



WALL 1225

This wall mount can turn the flat screen TV up to 120° and tilt it up to -10° or + 10°.

THIN 345

Turn an ultra thin TV up to 180° and view from anywhere in the room. This wall mount has a minimal distance to the wall of only 3,5 cm /1.4 inch, and can extend up to 63 cm / 24.8 inch.

kitchen

FLAT **Keep the TV away from cooking splatters and kitchen traffic**

WALL 1105

Experience a TV during cooking or eating. This wall mount saves space. The distance between flat screen TV and wall is only 2 cm / 0.8.

workspace

TURN **Position a screen ergonomically to make work easier**

WALL 1045

Turn up to 180° and tilt up to -10° or +10° and position the screen ergonomically. It can extend the screen up to 41 cm / 16.1 inch



bedroom

TILT **Watch TV when lying in bed**

THIN 215

Tilt it up to 15° when lying in bed. It has a minimal distance to the wall of only 2 cm / 0.8 inch.

For more TURN, TILT or FLAT products see pages 23 through 35.

Extending our reach

In the almost 40 years that Vogel's has been doing business, we have never stood still. Starting with introducing a solution for loudspeakers and CRT TV, we have evolved with all of the changing technologies in the TV world to when the first flat screen was introduced. Then, we were one of the first to market a mounting solution for a flat screen. We put a lot of effort into producing a continuous stream of new ideas for improving existing products, creating new products and entering new product categories.

Vogel's RingO®

The same drive led us to look at the evolution of consumer entertainment technology as it moved to tablets. Vogel's latest innovations have been developed around this product category and it adds another exciting marketing segment to our assortment. Vogel's RingO is a universal tablet mounting system for the most popular brands of tablets, including the iPad, iPad 2 and Galaxy Tab. RingO allows users to mount their tablet onto virtually any surface, as well as in their car, so they can enjoy watching movies, reading the latest news or using any app, hands free. It features a Wall Mount, Table Stand, Car Mount, Flex Mount and Flip Stand.

TwistDock

Gaming consoles is a new category that Vogel's is rapidly developing. Gaming is one of the first forms of consumer entertainment that brings interactive content into many living rooms, on demand. Gaming and flat screens are a great combination. In that same playing field, Vogel's has developed products that seamlessly incorporate gaming devices into the consumer's home environment. The TwistDock is a must-have for the PlayStation®3 computer entertainment system. It is more than merely a docking station for this popular game computer. The TwistDock system can be expanded and charged and becomes one with the Sony PlayStation 3 so that cables are neatly concealed.

The market is in constant flux as new products like tablets, thinner flat screens, etc., are introduced.

PMC 205
Starter pack for iPad

Holder for iPad + Wall mount

- Enjoy iPad anywhere in the house
- Holder leaves all tablet features accessible
- Wall mount securely mounts your tablet onto almost any surface
- Holder with tablet can be clicked on and off easily
- Tablet can be rotated 360 degrees when mounted

TMS 206
Starter pack for iPad 2

Holder for iPad 2 + Wall mount

- Enjoy iPad 2 anywhere in the house
- Holder easily fits around the tablet
- Holder leaves all tablet features accessible
- In totally only 17 mm / 0.7 inch thick
- Wall mount securely mounts your tablet onto almost any surface
- Holder with tablet can be clicked on and off easily
- Tablet can be rotated 360 degrees when mounted

TMS 207
Starter pack for Galaxy 7"

Holder for Galaxy 7" + Wall mount

- Enjoy Galaxy Tab anywhere in the house
- Holder easily fits around the tablet
- Holder leaves all tablet features accessible
- Wall mount securely mounts your tablet onto almost any surface
- Holder with tablet can be clicked on and off easily
- Tablet can be rotated 360 degrees when mounted

ringO

PLUS X AWARD® honored as: BEST PRODUCT OF THE YEAR 2011

PMC 215
Car pack for iPad

Holder for iPad + Car mount

- Enjoy iPad in the car
- Holder easily fits around the tablet
- Holder leaves all tablet features accessible
- Car mount can be securely fixed to the front seat headrest
- Holder with tablet can be clicked on and off easilys
- No tools required for installation

ringO

PLUS X AWARD® honored as: BEST PRODUCT OF THE YEAR 2011

TMS 346
Car pack for iPad 2

Holder for iPad 2 + Car mount

- Enjoy iPad 2 in the car
- Holder easily fits around the tablet
- Holder leaves all tablet features accessible
- In totally only 17 mm / 0.7 inch thick
- Car mount can be securely fixed to the front seat headrest
- Holder with tablet can be clicked on and off easily
- No tools required for installation

TMS 347
Car pack for Galaxy 7"

Holder for Galaxy 7" + Car mount

- Enjoy Galaxy Tab in the car
- Holder easily fits around the tablet
- Holder leaves all tablet features accessible
- Car mount can be securely fixed to the front seat headrest
- Holder with tablet can be clicked on and off easily
- No tools required for installation

TMS 316
Home pack for iPad 2

Holder for iPad 2 + Wall mount + Table stand

- Enjoy iPad 2 anywhere in the house
- Holder easily fits around the tablet
- Holder leaves all tablet features accessible
- In totally only 17 mm / 0.7 inch thick
- Wall mount securely mounts your tablet onto almost any surface
- With Table stand tablet can be placed either portrait or landscape on a table or desk
- Holder with tablet can be clicked on and off easily
- Tablet can be rotated 360 degrees when mounted

ringO

PLUS X AWARD® honored as: BEST PRODUCT OF THE YEAR 2011

TMS 431
All-in-one Pack for iPad 2

Holder for iPad 2 + Wall mount + Car mount + Table stand

- Enjoy your iPad 2 anywhere in the house, car or travelling
- Holder easily fits around the tablet
- Holder leaves all tablet features accessible
- In totally only 17 mm / 0.7 inch thick
- Wall mount securely mounts your tablet onto almost any surface
- Car mount can be securely fixed to the front seat headrest
- With Table stand tablet can be placed either portrait or landscape on a table or desk
- Holder with tablet can be clicked on and off easily
- Tablet can be rotated 360 degrees when mounted

ringO

PLUS X AWARD® honored as: BEST PRODUCT OF THE YEAR 2011

PMC 110
Table Stand

- Must be combined with Vogel's holder for iPad and iPad 2
- With Table Stand tablet can be placed either portrait or landscape on a table or desk

PMC 120
Flip Stand

- Is specifically developed for iPad
- With Flip stand iPad can be placed landscape for easy typing
- Stylish leather cover

TwistDock
Docking stand

- Ingenious twist system
- Put game console on pedestal
- Easily slot two controllers onto the back of the TwistDock
- Continous loading controllers, also in case of switch off Playstation3
- No more losing controllers

PLUS X AWARD honored as: BEST PRODUCT OF THE YEAR 2011

TwistDock CableSet
Accessory for TwistDock

- Must be combined with TwistDock
- Neatly conceal unsightly cables with cable set
- 2,5 m HDMI cable for Playstation3 slim
- 2,5 m Powercable for Playstation3 slim

PLUS X AWARD honored as: BEST PRODUCT OF THE YEAR 2011

TwistDock USB HUB
Accessory for TwistDock

- Must be combined with TwistDock
- Add 4 extra USB ports to Playstation3
- Power is integrated

PLUS X AWARD honored as: BEST PRODUCT OF THE YEAR 2011

GWM 3120
Wall mount for PS 3 slim

- Mount the PS 3 slim close to the TV
- Full metal console mount
- Takes up less space
- Matches console design
- Easy mounting

GWM 3110
Wall mount for Xbox 360 slim

- Mount the Xbox 360 slim close to the TV
- Full metal console mount
- Takes up less space
- Matches console design
- Easy mounting

GWM 3100
Wall mount for Wii

- Mount the Wii close to the TV
- Full metal console mount
- Takes up less space
- Matches console design
- Easy mounting

Turning shoppers into buyers

In our ambition to serve all stakeholders in the purchasing process, we have put the shopper first in our category approach. We recently carried out a comprehensive survey of shopper behaviours for wall mounts and gained important insights into shopper attitudes. For instance, we learned that consumers find the mount category very complicated. They also do not have an emotional connection with mounts, whereas they do have an emotional connection with their AV & mulltimedia devices.

In the survey, we focused on phase 1 "planning" and phase 2 "shopping". In other words: what is the TRIGGER to buy and is any PREWORK done before entering a store. And HOW do shoppers behave in the store and WHY do they or don't they buy. The research included camera observations of actual shopper behaviour and interviews with shoppers after they had interacted with the category.

Shopper behaviour

The survey showed that shoppers come informed into your store: a vast majority of shoppers do Internet preparation. Shoppers are insecure when it comes to selecting the right mount and want to interact with the product to make a final decision. Most people make the actual decision to buy in the store.

Shopper Research

Vogel's Shopper Research produced the following insights into shopper behaviour.

Reason to buy a wall mount


Looking for a wall mount because I am redesigning my house
Others
Looking for a wall mount because I have purchased or will purchase a TV in the near future
Looking for a wall mount because I saw it by somebody else
Looking for a wall mount to improve the viewing experience

Pre-buying orientation



Key conclusions of shopper research

- A majority of buyers of wall mounts want to improve their viewing experience
- The decision for a specific wall mount is made in-store
- Demo products are important to help determine the functionality and quality of the wall mount
- Shoppers interact most often with the higher shelves in the store

Shelf navigation

Our new brand strategy and communication addresses all of the elements that support your retail sales, from start to finish.

Our shopper research showed that the areas that have the most interaction with the shopper are the demo products as well as the highest shelves located at eye level. We have adapted our shelf design to these insights by placing the products that have the highest influence on sales and contribute the most to the profitability of the category, such as Turn products, high on the shelves. Our new shelf concept is also strategically laid out to better guide the shopper in finding the right product.

The planogram below shows a sample shelf arrangement of Vogel's products organised by functionality and sizes and including demo products.


Info & Demo
Top-down arrangement by functionality
TV sizes: 17" - 26"
VESA: 100 x 100
TV sizes: 19" - 32"
VESA: 200 x 200
TV sizes: 26" - 42"
VESA: 400 x 200
TV sizes: 32" - 55"
VESA: 400 x 700
VESA: 600 x 700
Block construction by size

Packaging

Clear and easy packaging

The new shopper-tested package design has:

- Clear information hierarchy between more and less important information
- Optical segmentation that makes functionality and sizes clearly stand out
- Layered information strategy presents most important information on the front of the packaging and more detailed information on the back of the packaging

What is the functionality?

Functionality is the primary driver for a shopper in selecting a mount. The functionality of the mounts is now clearly communicated on the front of the package.



The right size

Finding the right sized mount for my TV is another important driver for a shopper. This content is primarily placed on the front of the packaging.

17 - **26** inch
43 - **66** cm

19 - **32** inch
48 - **81** cm

26 - **42** inch
66 - **107** cm

32 - **55** inch
81 - **140** cm

Guaranteed quality

A new life time guarantee logo acts as the Vogel's seal of approval. It shows all of the aspects that guarantee the buyer a high quality product and hassle-free ownership.

Life time guarantee

- Strong & secure mounting
- All mounting materials included
- Clear & simple mounting instructions
- The right fit for every screen
- Certified quality
- Carefree experience

To accommodate different ways of presenting the products, Vogel's has created different packaging fronts that contain the necessary information to make the first selection. So no matter how the shelf is laid out, shoppers will always see the most relevant information first.

Online orientation

We are developing new Internet tools to provide extra guidance and inspiration for consumers during the orientation phase. By explaining mounts in an enjoyable way during the "orientation" phase, Vogel's will have already done a great deal to educate and excite consumers about mounts. So when they come to your store, they are more likely to be in a "buying" state of mind that will make it easier for you to close the sale.

Other online tools, already in place, include:

- "Where to buy" is a feature of the Vogel's website that allows consumers to easily locate a dealer in their area. This further simplifies the buying process for consumers.
- "Flatscreenfitter" is a re-newed version of the popular application that helps consumers locate the right Vogel's product for their A/V device.

www.vogels.com

QR codes

Vogel's will implement Quick Response codes on their packaging, mounting instructions, and marketing materials. This QR code links you directly to a website, YouTube movies, installation movie etc.

How do you scan a QR code?

Start the QR code reader and snap a picture of the QR code. Make sure that your hand is steady and that you are able to include the whole code into the picture. Depending on your software, it may take some time for the application to resolve the link to open your browser and let you surf the mobile site the code links to.

1. Scan QR code

2. Open website

Experience the best view anywhere in the room

THIN RC 355
Remote controlled



SIZE 81-140 cm / 32-55"

MAX. 25 kg / 55 lbs
max. screen thickness
45 mm / 1.8"

600 x 400

- Turn up to 60 degrees
- Only 3,5 cm / 1.4 inch from the wall
- 2 pivot points
- Move your ultrathin TV forward and turn it any way you want from the comfort of your chair for an optimal viewing experience





THIN 245

SIZE 66-107 cm / 26-42"

MAX. 18 kg / 40 lbs
max. screen thickness
45 mm / 1.8"

400 x 400

- Turn up to 180 degrees
- Tilt up to 20 degrees
- Only 3,5 cm / 1.4 inch from the wall
- 3 pivot points
- Extends up to 51 cm / 20.1 inch
- Cable Inlay System, hide your cables
- Easy level adjustment
- For use around a corner or in a cabinet



THIN 345



SIZE 81-140 cm / 32-55"

MAX. 25 kg / 55 lbs
max. screen thickness
45 mm / 1.8"

600 x 400

- Turn up to 180 degrees
- Tilt up to 20 degrees
- Only 3,5 cm / 1.4 inch from the wall
- 3 pivot points
- Extends up to 63 cm / 24.8 inch
- Cable Inlay System, hide your cables
- Easy level adjustment
- For use around a corner or in a cabinet

reddot design award winner 2011

PLUS X AWARD honored as: BEST PRODUCT OF THE YEAR 2011



TURN

LED/LCD/PLASMA WALL MOUNTS

WALL 1045



mm[inch]

SIZE	43-66 cm / 17-26"
MAX.	15 kg / 33 lbs
	100 x 100
	● ●

- Turn up to 180 degrees
- Tilt up to -10 / +10 degrees
- 3 pivot points
- Extends up to 41 cm / 16.1 inch
- Easy guidance of your cables
- For use around a corner or in a cabinet



VESA mounting holes
mm[inch]

WALL 1145



mm[inch]

SIZE	48-81 cm / 19-32"
MAX.	15 kg / 33 lbs
	200 x 200
	● ●

- Turn up to 180 degrees
- Tilt up to -10 / +10 degrees
- 3 pivot points
- Extends up to 41 cm / 16.1 inch
- Easy guidance of your cables
- For use around a corner or in a cabinet



VESA mounting holes
mm[inch]

WALL 1245



mm[inch]

SIZE	66-107 cm / 26-42"
MAX.	30 kg / 66 lbs
	400 x 400
	● ●

- Turn up to 180 degrees
- Tilt up to -10 / +10 degrees
- 3 pivot points
- Extends up to 53 cm / 20.9 inch
- Easy guidance of your cables
- For use around a corner or in a cabinet



VESA mounting holes
mm[inch]

WALL 1345



mm[inch]

SIZE	81-140 cm / 32-55"
MAX.	45 kg / 99 lbs
	700 x 400
	● ●

- Turn up to 180 degrees
- Tilt up to -10 / +10 degrees
- 3 pivot points
- Extends up to 53 cm / 20.9 inch
- Easy guidance of your cables
- For use around a corner or in a cabinet



VESA mounting holes
mm[inch]

THIN 225



UltraThin
minimum distance to the wall

mm[inch]

SIZE	66-107 cm / 26-42"
MAX.	18 kg / 40 lbs max. screen thickness 45 mm / 1.8"
	400 x 400

- Turn up to 120 degrees
- Tilt up to 20 degrees
- Only 3,5 cm / 1.4 inch from the wall
- 2 pivot points
- Easy level adjustment



mm[inch]



VESA mounting holes
mm[inch]

THIN 325



UltraThin
minimum distance to the wall

mm[inch]

SIZE	81-140 cm / 32-55"
MAX.	25 kg / 55 lbs max. screen thickness 45 mm / 1.8"
	600 x 400

- Turn up to 120 degrees
- Tilt up to 20 degrees
- Only 3,5 cm / 1.4 inch from the wall
- 2 pivot points
- Easy level adjustment



mm[inch]



VESA mounting holes
mm[inch]

WALL 1025



mm[inch]

SIZE	43-66 cm / 17-26"
MAX.	15 kg / 33 lbs
	100 x 100
	● ●

- Turn up to 120 degrees
- Tilt up to -10 / +10 degrees
- 2 pivot points
- Easy guidance of your cables



mm[inch]



VESA mounting holes
mm[inch]

WALL 1125



mm[inch]

SIZE	48-81 cm / 19-32"
MAX.	15 kg / 33 lbs
	200 x 200
	● ●

- Turn up to 120 degrees
- Tilt up to -10 / +10 degrees
- 2 pivot points
- Easy guidance of your cables



mm[inch]



VESA mounting holes
mm[inch]

WALL 1225



mm[inch]

SIZE	66-107 cm / 26-42"
MAX.	30 kg / 66 lbs
	400 x 400
	● ●

- Turn up to 120 degrees
- Tilt up to -10 / +10 degrees
- 2 pivot points
- Easy guidance of your cables



mm[inch]



VESA mounting holes
mm[inch]

WALL 1325



mm[inch]

SIZE	81-140 cm / 32-55"
MAX.	45 kg / 99 lbs
	700 x 400
	● ●

- Turn up to 120 degrees
- Tilt up to -10 / +10 degrees
- 2 pivot points
- Easy guidance of your cables

mm[inch]



VESA mounting holes
mm[inch]

WALL 1020



mm[inch]

SIZE	43-66 cm / 17-26"
MAX.	15 kg / 33 lbs
	100 x 100
	● ●

- Turn up to 60 degrees
- Tilt up to -10 / +10 degrees
- 1 pivot point



VESA mounting holes
mm[inch]

WALL 1120



mm[inch]

SIZE	48-81 cm / 19-32"
MAX.	15 kg / 33 lbs
	200 x 200
	● ●

- Turn up to 60 degrees
- Tilt up to -10 / +10 degrees
- 1 pivot point



VESA mounting holes
mm[inch]

Ideal for a TV placed high on the wall

THIN 215



UltraThin
minimum distance to the wall

mm[inch]

SIZE	66-107 cm / 26-42"
MAX.	18 kg / 40 lbs max. screen thickness 45 mm / 1.8"
	400 x 400

- Tilt up to 15 degrees
- Only 2 cm / 0.8 inch from the wall
- Straight mounting guaranteed thanks to the integrated spirit level



VESA mounting holes
mm[inch]

THIN 315



UltraThin
minimum distance to the wall

mm[inch]

SIZE	81-140 cm / 32-55"
MAX.	25 kg / 55 lbs max. screen thickness 45 mm / 1.8"
	600 x 400

- Tilt up to 15 degrees
- Only 2 cm / 0.8 inch from the wall
- Straight mounting guaranteed thanks to the integrated spirit level



VESA mounting holes
mm[inch]

TILT

LED/LCD/PLASMA WALL MOUNTS

WALL 1015



mm[inch]

SIZE	43-66 cm / 17-26"
MAX.	30 kg / 66 lbs
	100 x 100

• Tilt up to 15 degrees



VESA mounting holes
mm[inch]

WALL 1115



mm[inch]

SIZE	48-81 cm / 19-32"
MAX.	30 kg / 66 lbs
	200 x 200

• Tilt up to 15 degrees



VESA mounting holes
mm[inch]

Ideal for a TV placed high on the wall

WALL 1215

mm[inch]

SIZE	66-107 cm / 26-42"
MAX.	70 kg / 154 lbs
	400 x 400

• Tilt up to 15 degrees



VESA mounting holes
mm[inch]

WALL 1315

mm[inch]

SIZE	81-140 cm / 32-55"
MAX.	70 kg / 154 lbs
	700 x 400

• Tilt up to 15 degrees

VESA mounting holes
mm[inch]

TILT

LED/LCD/PLASMA WALL MOUNTS

Experience the TV as a painting on the wall

THIN 205

UltraThin
minimum distance to the wall



Side view

mm[inch]

SIZE	66-107 cm / 26-42"
MAX.	25 kg / 55 lbs
	400 x 400

- Only 1,5 cm / 0.6 inch from the wall
- Straight mounting guaranteed thanks to the integrated spirit level
- Easy cable access with cable service positioning



VESA mounting holes
mm[inch]

THIN 305

UltraThin
minimum distance to the wall

Side view

mm[inch]

SIZE	81-140 cm / 32-55"
MAX.	40 kg / 88 lbs
	600 x 400

- Only 1,5 cm / 0.6 inch from the wall
- Straight mounting guaranteed thanks to the integrated spirit level
- Easy cable access with cable service positioning



VESA mounting holes
mm[inch]

Experience the TV as a painting on the wall

WALL 1005

Side view

mm[inch]

SIZE	43-66 cm / 17-26"
MAX.	30 kg / 66 lbs
	100 x 100

• 2 cm / 0.8 inch from the wall



VESA mounting holes
mm[inch]

WALL 1105

Side view

mm[inch]

SIZE	48-81 cm / 19-32"
MAX.	30 kg / 66 lbs
	200 x 200

• 2 cm / 0.8 inch from the wall



VESA mounting holes
mm[inch]

FLAT

LED/LCD/PLASMA WALL MOUNTS

WALL 1205

SIZE	66-107 cm / 26-42"
MAX.	70 kg / 154 lbs
	400 x 400

• 2,5 cm / 1 inch from the wall



WALL 1305

SIZE	81-140 cm / 32-55"
MAX.	70 kg / 154 lbs
	700 x 400

• 2,5 cm / 1 inch from the wall



Motion +: for maximum flexibility

EFW 8145



VESA mounting holes
mm[inch]

SIZE 48-66 cm / 19-26"

MAX. 20 kg / 44 lbs

min. 75 x 75 mm
max. 200 x 200 mm

- 150° turning range
- Full 90° corner option
- Screen Protection System (SPS®) which protects both screen and wall
- Smart Movement Mechanism (SMM®)
- Cable Inlay System (CIS®)
- Autolock®
- Integrated spirit level

EFW 8245



VESA mounting holes
mm[inch]

SIZE 66-94 cm / 26-37"

MAX. 30 kg / 66 lbs

min. 75 x 75 mm
max. 500 x 350 mm

- 150° turning range
- Full 90° corner option
- Screen Protection System (SPS®) which protects both screen and wall
- Smart Movement Mechanism (SMM®)
- Cable Inlay System (CIS®)
- Autolock®
- Integrated spirit level

EFW 8345



VESA mounting holes
mm[inch]

SIZE 81-127 cm / 32-50"

MAX. 45 kg / 99 lbs

min. 75 x 75 mm
max. 800 x 450 mm

- 150° turning range
- Full 90° corner option
- Screen Protection System (SPS®) which protects both screen and wall
- Smart Movement Mechanism (SMM®)
- Cable Inlay System (CIS®)
- Autolock®
- Integrated spirit level

reddot design award winner 2010

2009: good industrial design

Motion: for more convenience

EFW 8125



VESA mounting holes
mm[inch]

SIZE	48-66 cm / 19-26"
MAX.	20 kg / 44 lbs
	min. 75 x 75 mm max. 200 x 200 mm

- 90º turning range
- Cable Inlay System (CIS®)
- Autolock®
- Integrated spirit level
- Additional - Screen Protection System (SPS®)
- Additional - Smart Movement Mechanism (SMM®)

EFW 8225



VESA mounting holes
mm[inch]

SIZE	66-94 cm / 26-37"
MAX.	30 kg / 66 lbs
	min. 75 x 75 mm max. 500 x 350 mm

- 90º turning range
- Cable Inlay System (CIS®)
- Autolock®
- Integrated spirit level
- Additional - Screen Protection System (SPS®)
- Additional - Smart Movement Mechanism (SMM®)

EFW 8325



VESA mounting holes
mm[inch]

SIZE	81-127 cm / 32-50"
MAX.	45 kg / 99 lbs
	min. 75 x 75 mm max. 800 x 450 mm

- 90º turning range
- Cable Inlay System (CIS®)
- Autolock®
- Integrated spirit level
- Additional - Screen Protection System (SPS®)
- Additional - Smart Movement Mechanism (SMM®)

EFW 8425



VESA mounting holes
mm[inch]

SIZE	102-165 cm / 40-65"
MAX.	70 kg / 154 lbs
	min. 75 x 75 mm max. 1100 x 550 mm

- 90º turning range
- Cable Inlay System (CIS®)
- Autolock®
- Integrated spirit level
- Additional - Screen Protection System (SPS®)
- Additional - Smart Movement Mechanism (SMM®)

EFW 8105



VESA mounting holes
mm[inch]

SIZE	48-66 cm / 19-26"
MAX.	20 kg / 44 lbs
	min. 75 x 75 mm max. 200 x 200 mm

- SuperFlat - only 20 mm from the wall
- Autolock®
- Integrated spirit level

EFW 8205



VESA mounting holes
mm[inch]

SIZE	66-94 cm / 26-37"
MAX.	30 kg / 66 lbs
	min. 75 x 75 mm max. 500 x 350 mm

- SuperFlat - only 22 mm from the wall
- Autolock®
- Integrated spirit level



EFW 8305



VESA mounting holes
mm[inch]

SIZE	81-127 cm / 32-50"
MAX.	45 kg / 99 lbs
	min. 75 x 75 mm max. 800 x 450 mm

- SuperFlat - only 24 mm from the wall
- Autolock®
- Integrated spirit level



EFW 8405



VESA mounting holes
mm[inch]

SIZE	102-165 cm / 40-65"
MAX.	70 kg / 154 lbs
	min. 75 x 75 mm max. 1100 x 550 mm

- SuperFlat - only 24 mm from the wall
- Autolock®
- Integrated spirit level



Floor stands: standing room only

EFF 8230



VESA mounting holes
mm[inch]

SIZE 66-94 cm / 26-37"

MAX. 30 kg / 66 lbs

min. 100 x 100 mm
max. 200 x 200 mm

- 60º turning range
- Cable Inlay System (CIS®)
- 1 extra color strip included
- Can be combined with 1x EFA 8825

www.vogels.com/mypersonalfloorstand

EFF 8330



VESA mounting holes
mm[inch]

SIZE 81-127 cm / 32-50"

MAX. 45 kg / 99 lbs

min. 75 x 75 mm
max. 800 x 450 mm

- 60º turning range
- Cable Inlay System (CIS®)
- Autolock®
- Integrated spirit level
- 1 extra color strip included
- Can be combined with 1x EFA 8825

www.vogels.com/mypersonalfloorstand

EFF 8340



VESA mounting holes
mm[inch]

SIZE 81-127 cm / 32-50"

MAX. 45 kg / 99 lbs

min. 75 x 75 mm
max. 800 x 450 mm

● ○

- 60º turning range
- Height adjustable
- AV multi support included
- Integrated storage
- Cable Inlay System (CIS®)
- Autolock®
- Integrated spirit level
- Available in black or a combination of black and white

2009:
good industrial design

EFA 8835 Cable Column 64 cm including AV multi support



MAX. 30 kg / 66 lbs

- Cable Column - 64 cm / 25.2"
- SuperFlat™ - only 20 mm from the wall
- Cable Inlay System (CIS®)
- AV multi support included. Support adjustable in height, width and depth

EFA 8840 Cable Column 94 cm including AV multi support



MAX. 30 kg / 66 lbs

- Cable Column - 94 cm / 37"
- SuperFlat - only 20 mm from the wall
- Cable Inlay System (CIS®)
- AV multi support included. Support adjustable in height, width and depth

EFA 8825 AV multi support



MAX. -

- Universal AV support adjustable in height, width and depth
- Must be combined with 8000 cable column or floor stand

CABLE 4 (EFA 8740)
Universal Cable Cover



SIZE 94 cm / 37"

- Cable Cover - 94 cm / 37"
- Suitable for 4 cables
- SuperFlat™ - only 20 mm from the wall
- Cable Inlay System (CIS®)
- Seamlesssly fits all Vogel's solutions

CABLE 8 (EFA 8741)
Universal Cable Cover



SIZE 94 cm / 37"

- Cable Cover - 94 cm / 37"
- Suitable for 8 cables
- SuperFlat™ - only 20 mm from the wall
- Cable Inlay System (CIS®)
- Seamlesssly fits all Vogel's solutions

EFA 8810
Tilt module S/M

mm[inch]

MAX. 30 kg / 66 lbs

- 30° tilt function (+/- 15°)
- Autolock®- single click security
- Fixation screw - set the ideal tilt friction for your specific flat screen
- Can be used in combination with:
  EFW 8145, EFW 8245, EFW 8125, EFW 8225, EFW 8105, EFW 8205

EFA 8820
Tilt module L/XL

mm[inch]

MAX. 45 kg / 99 lbs

- 30° tilt function (+/- 15°)
- Autolock®- single click security
- Fixation screw - set the ideal tilt friction for your specific flat screen
- Can be used in combination with:
  EFW 8345, EFW 8325, EFW 8425, EFW 8305, EFW 8405

EFA 8890
Stud adapter



mm[inch]

MAX. -

- Studadapter for 16" studs
- Must be combined with EFW 8245

EFA 8895
Stud adapter

mm[inch]

MAX. -

- Studadapter for 16" studs
- Must be combined with EFW 8345

Forward motion for extra functionality

EFW 6145



SIZE 35-66 cm / 14-26"

MAX. 3-15 kg / 6-33 lbs

- Tilt, turn and forward motion functions
- guarantee optimal viewing position
- Universal - complies with VESA MIS-D, 100 and VESA MIS-D, 75
- Unique Screen Protection System (SPS®) which protects both screen and wall
- Pre-assembled - install in just 3 easy steps
- Strips included for 200 x 100 VESA mounting holes

EFW 6245



SIZE 57-94 cm / 23-37"

MAX. 10-35 kg / 22-77 lbs

- Tilt, turn and forward motion functions
- guarantee optimal viewing position
- Universal - standard complies with VESA MIS-D, 100, VESA MIS-D, 75 and VESA MIS-E
- Strips included for 200x200 VESA mounting holes
- Unique Screen Protection System (SPS)**
- Pre-assembled - install in just 3 easy steps

** SPS® guaranteed up to 900mm

EFW 6345



SIZE 81-127 cm / 32-50"

MAX. 15-45 kg / 33-99 lbs

- Tilt, turn and forward motion functions
- guarantee optimal viewing position
- Universal - standard complies with VESA MIS-F, 700, 450
- Unique Screen Protection System (SPS) which protects both screen and wall**
- Pre-assembled - install in just 3 easy steps

** SPS® guaranteed up to 1450 mm

EFW 6445



SIZE 108-165 cm / 42-65"

MAX. 15-55 kg / 33-121 lbs

- Tilt, turn and forward motion functions
- guarantee optimal viewing position
- Universal - complies with VESA MIS-F, 950, 550
- Unique Screen Protection System (SPS®) which protects both screen and wall (SPS guaranteed up to 1450 mm)
- Pre-assembled - install in just 3 easy steps

EFA 6825
Audio/DVD support



MAX. 10 kg / 22 lbs

- Can be positioned at any height in the column
- Adjustable arms, which are equipped with an anti-slip edge, fit a wide range of A/V equipment sizes
- Combine with EFA 6840 to store A/V equipment
- Pre-assembled - install in just 1 easy step.

EFA 6840
Column system

MAX. max 4x EFA 6825

- 93 cm / 36.6"
- Flexible and unique AdvanCIS® - easily hide and guide cables at any height
- Combine with EFA 6825 to store A/V equipment
- Pre-assembled - install in just 1 easy step

EFC 6215
LCD ceiling mount



VESA mounting holes
mm[inch]

SIZE	58-81 cm / 23-32"
MAX.	30 kg / 66 lbs
	200 x 100 mm 200 x 200 mm

- Tilt function up to 20 degrees
- Suitable for flat ceilings
- Cover included
- Double Cable Inlay System (CIS®)
- Levelling function

EPC 6545
Projector ceiling solution



mm[inch]

SIZE	43-66 cm / 17-26"
MAX.	15 kg / 33 lbs
	●

- Ceiling cover included to hide cables and mount when not in use
- Adjust & secure feature to lock the projector in position
- Universal, fits virtually every projector

EPW 6565
Projector wall solution



mm[inch]

SIZE	30-323 mm / 1.18-12.7"
MAX.	10 kg / 22 lbs
	●

- Reversible mounting possible to mount the projector facing either straight up or upside down
- Universal, fits every projector

ELW 6600



SIZE -

MAX. 1.5 kg / 3.3 lbs

- For surround speakers up to 1.5 kg
- Tilt and turn functions guarantee optimal listening position
- Point your speaker for the best sound
- Compact and stylish design
- Very easy to install
- 2 pieces per package

ELW 6605



SIZE -

MAX. 10 kg / 22 lbs

- For home cinema and stereo speakers up
- to 10 kg
- Tilt and turn functions guarantee optimal
- listening position
- Point your speaker for the best sound
- Compact and stylish design
- Very easy to install
- 2 pieces per package

VLB 200



SIZE -

MAX. 20 kg / 44 lbs

- Ideal for so-called bookshelf/ standmount Hi-Fi speakers (<20 kg / 55 lbs)
- No screws required, due to the clamping construction
- 2 pieces per package

VLB 500
Loudspeaker wall mount (2x)



mm[inch]

MAX. 5 kg / 11 lbs

- For surround speakers and smaller hi-fi speakers <5 kg / 11 lbs
- Tilt and turn functions guarantee optimal listening position

VLS 615
Loudspeaker stand (2x)

mm[inch]

103 cm / 40"

MAX. 1.5 kg / 3.3 lbs

- For Home Cinema front & surround speakers <1.5 kg / 3.3 lbs
- Cable Inlay System (CIS®)
- Spiked feet (rubber feet included for delicate floors)
- Three speaker-mounting options - suitable for most brands of surround speakers

EMC 5000
LCD Headrest mount (DVDock®)



mm[inch]

SIZE 18.5-27 cm / 7.3-10.6"

MAX. 1.5 kg / 3.3 lbs

- Universal via adjustable arms to ensure a perfect fit for portable DVD player
- Quick release system to easy place or remove portable DVD player
- Easy install with only an Allen key. Also keeps cable connections and control buttons easily accessible
- Tilt function to eliminate reflections and get the best viewing angle

PFD 8522
Desk mount



mm[inch]

SIZE	25-66 cm / 10-26"
MAX.	13 kg / 28 lbs

- Flexmount
- Monitor rotation
- 3 point cable management
- 2 pivot points
- Fitment VESA MIS-D (75x75, 100x100 mm)
- Dual monitor mounting with PFA 9102 (optional)

PFD 8523
Desk mount



mm[inch]

SIZE	25-66 cm / 10-26"
MAX.	13 kg / 28 lbs

- Flexmount
- Monitor rotation
- 3 point cable management
- 3 pivot points
- Fitment VESA MIS-D (75x75, 100x100 mm)
- Dual monitor mounting with PFA 9102 (optional)

PFD 8541
Desk mount



SIZE	25-66 cm / 10-26"
MAX.	2,0-5,7 kg / 4,4-12,5 lbs
	●

- Flexmount
- Monitor rotation
- 3 point cable management
- 3 pivot points
- Gas spring
- Fitment VESA MIS-D (75x75, 100x100 mm)
- Dual monitor mounting with PFA 9102 (optional)



PFD 8543
Desk mount



SIZE	25-66 cm / 10-26"
MAX.	5,6-11 kg / 12,3-24,2 lbs
	●

- Flexmount
- Monitor rotation
- 3 point cable management
- 3 pivot points
- Gas spring
- Fitment VESA MIS-D (75x75, 100x100 mm)
- Dual monitor mounting with PFA 9102 (optional)



PFA 9102
Dual monitor adapter



SIZE	25-55 cm / 10-22" (2x)
MAX.	12 kg (2x6 kg) / 26,4 (2x13,2) lbs
	●

- Acessory for PFD 8522, 8523, 8541, 8543
- Fitment VESA MIS-D (75x75, 100x100 mm)



PHYSIX® BY VOGEL'S no-worries brand

Vogel's created the Physix product concept to address first-time buyers who often do not feel confident when buying a wall mount. Physix is the "no-worries" hassle-free brand for the consumer and the retailer.

Because easy products translate into easy, high margin sales. It provides a strong and simple solution that is also easy to install and affordable. Physix includes a turn, tilt and flat wall mount, as well as accessories.

Physix addresses the main insecurities that these buyers face:

- **Easy to understand**
  mainstream functionality
- **Easy to select**
  choose the right mount for a specific TV
- **Easy to install**
  anyone can do it
- **Extremely strong & durable**
  lifetime guarantee
- **Easy to buy**
  very affordable



PHW 400S
LCD Wall mount Turn & Tilt Small



VESA mounting holes
mm[inch]

SIZE 48-66 cm / 19-26"

MAX. 20 kg / 44 lbs

Max. 200 x 200

- Turns both sides up to 180 degrees
- Tilts up to 15 degrees
- Lock/release strips for safety of the flat screen
- Easy installation

PHW 400M
LCD Wall mount Turn & Tilt Medium



VESA mounting holes
mm[inch]

SIZE 66-94 cm / 26-37"

MAX. 30 kg / 66 lbs

Max. 400 x 400

- Turns both sides up to 180 degrees
- Tilts up to 15 degrees
- Lock/release strips for safety of the flat screen
- Easy installation

PHW 400L
LCD Wall mount Turn & Tilt Large



VESA mounting holes
mm[inch]

SIZE 81-127 cm / 32-50"

MAX. 45 kg / 99 lbs

Max. 600 x 400

- Turns both sides up to 180 degrees
- Tilts up to 15 degrees
- Lock/release strips for safety of the flat screen
- Easy installation

PHW 300S
LCD Wall mount Turn Small



mm / inch
Mounting holes in red
(min - max distance)

SIZE 48-66 cm / 19-26"

MAX. 20 kg / 44 lbs

min. 75 x 75
max. 200 x 200

- Turns both sides up to 90 degrees
- Lock/release strips for safety of the flat screen
- Easy installation

PHW 300M
LCD Wall mount Turn Medium



mm / inch
Mounting holes in red
(min - max distance)

SIZE 66-94 cm / 26-37"

MAX. 30 kg / 66 lbs

min. 100 x 100
max. 500 x 350

- Turns both sides up to 90 degrees
- Lock/release strips for safety of the flat screen
- Easy installation

PHW 300L
LCD Wall mount Tilt Large



mm / inch
Mounting holes in red
(min - max distance)

SIZE 81-127 cm / 32-50"

MAX. 45 kg / 99 lbs

min. 100 x 100
max. 800 x 450

- Turns both sides up to 90 degrees
- Lock/release strips for safety of the flat screen
- Easy installation

Tilt to a comfortable position

PHW 200S
LCD Wall mount Tilt Small



mm / inch
Mounting holes in red
(min - max distance)

SIZE	48-66 cm / 19-26"
MAX.	20 kg / 44 lbs
	min. 75 x 75 max. 200 x 200

- Tilt function up to 15 degrees
- Lock/release strips for safety of the flat screen
- Easy installation

PHW 200M
LCD Wall mount Tilt Medium



mm / inch
Mounting holes in red
(min - max distance)

SIZE	66-94 cm / 26-37"
MAX.	30 kg / 66 lbs
	min. 100 x 100 max. 500 x 350

- Tilt function up to 15 degrees
- Lock/release strips for safety of the flat screen
- Easy installation

Tilt to a comfortable position

PHW 200L
LCD Wall mount Tilt Large



mm / inch
Mounting holes in red
(min - max distance)

SIZE	81-127 cm / 32-50"
MAX.	45 kg / 99 lbs
	min. 100 x 100 max. 800 x 450

- Tilt function up to 15 degrees
- Lock/release strips for safety of the flat screen
- Easy installation

PHW 200XL
LCD Wall mount Tilt Extra Large



mm / inch
Mounting holes in red
(min - max distance)

SIZE	102-165 cm / 40-65"
MAX.	70 kg / 154 lbs
	min. 100 x 100 max. 950 x 550

- Tilt function up to 15 degrees
- Lock/release strips for safety of the flat screen
- Easy installation

PHW 100S
LCD Wall mount Flat Small



mm / inch
Mounting holes in red
(min - max distance)

SIZE	48-66 cm / 19-26"
MAX.	20 kg / 44 lbs
	min. 75 x 75 max. 200 x 200

- Min. distance to the wall 27mm
- Lock/release strips for safety of the flat screen
- Easy installation

PHW 100M
LCD Wall mount Flat Medium



mm / inch
Mounting holes in red
(min - max distance)

SIZE	66-94 cm / 26-37"
MAX.	30 kg / 66 lbs
	min. 100 x 100 max. 500 x 350

- Min. distance to the wall 27mm
- Lock/release strips for safety of the flat screen
- Easy installation

PHW 100L
LCD Wall mount Flat Large



mm / inch
Mounting holes in red
(min - max distance)

SIZE	81-127 cm / 32-50"
MAX.	45 kg / 99 lbs
	min. 100 x 100 max. 800 x 450

- Min. distance to the wall 27mm
- Lock/release strips for safety of the flat screen
- Easy installation

PHW 100XL
LCD Wall mount Flat Extra Large



mm / inch
Mounting holes in red
(min - max distance)

SIZE	102-165 cm / 40-65"
MAX.	70 kg / 154 lbs
	min. 100 x 100 max. 950 x 550

- Min. distance to the wall 27mm
- Lock/release strips for safety of the flat screen
- Easy installation

Accessories that enhance TV equipment

PHA 500
Cable Sleeve



SIZE 25-50 cm / 9.8-19.7"

MAX. -

- Hide away all unsightly cables
- Adjustable length
- Colours black / grey

PHA 600
Cable Strip



SIZE 100 cm / 39.8"

MAX. -

- Hide away all unsightly cables
- Cut to any length
- Colours black / grey

PHA 700
Multi support



SIZE -

MAX. 10 kg / 22 lbs

- Can be combined with PHA 600

PHYSIX BY VOGEL'S

ACCESSORIES FOR TABLETS

Type nr.		Pack includes	Suitable for			Placement	Dual use front and back	Adjustability		
			iPad	iPad 2	Galaxy 7"			Tilt	Rotate	
PMC 205	Starter pack for iPad	Holder + Wall Mount	✔			Wall	✔		360°	
TMS 206	Starter pack for iPad 2	Holder + Wall Mount		✔		Wall	✔		360°	
TMS 207	Starter pack for Galaxy 7"	THolder + Wall Mount			✔	Wall	✔		360°	
PMC 215	Car pack for iPad	Holder + Car Mount	✔			Car	✔	15°	360°	
TMS 346	Car pack for iPad 2	Holder + Car Mount		✔		Car		15°	360°	
TMS 347	Car pack for Galaxy 7"	Holder + Car Mount			✔	Car	✔	15°	360°	
TMS 316	Home pack for iPad 2	Holder + Wall Mount + Table Stand		✔		Wall, Table			360°	
TMS 431	All-in-one Pack for iPad 2	Holder + Wall Mount + Car Mount + Table Stand		✔		Wall, Car, Table			360°	
PMC 110	Table Stand		✔	✔		Table			landscape and portrait	
PMC 120	Flip Stand		✔			Table			landscape	

MOUNTING SOLUTIONS FOR GAMING CONSOLES

		Suitable for	Must be combined with	Placement	Adjustablility			
					Turn	Chargeable	no. of USB extra	
TwistDock	Docking	Playstation3		Table	✔	2 Controllers		
TwistDock CableSet	Accessory		TwistDock					
TwistDock USB HUB	Accessory		TwistDock				4	
GWM 3120	Wall mount	Playstation3 slim		Wall				
GWM 3110	Wall mount	Xbox 360 slim		Wall				
GWM 3100	Wall mount	Wii		Wall				

* iPad is registered trademark of Apple inc.
Galaxy is a registered trademark of Samsung.
Playstation3 is a registered trademark of Sony.
Xbox is a registered trademark of Microsoft.
Wii is a registered trademark of Nintendo.

LED / LCD / PLASMA

WALL MOUNTS

Type nr.		Screen size	Generally used for	Adjustablility			Fingertip Movement	Distance to the wall	Extends up to max.	
				Tilt	Turn	Number of pivot points				
THIN RC 355	Remote Controlled TURN 60°	32-55"/81-140cm	Living room		up to 60°	2	✔	3,5 cm / 1.4" from the wall		
THIN 245	TURN 180°	26-42"/66-107cm	Bedroom	20°	up to 180°	3	✔	3,5 cm / 1.4" from the wall	up to 51 cm / 20.1"	
THIN 345	TURN 180°	32-55"/81-140cm	Living room	20°	up to 180°	3	✔	3,5 cm / 1.4" from the wall	up to 63 cm / 24.8"	
WALL 1045	TURN 180°	17-26"/43-66cm	Workspace	-10° / + 10°		3			up to 41 cm / 16.1"	
WALL 1145	TURN 180°	19-32"/48-81cm	Kitchen	-10° / + 10°		3			up to 41 cm / 16.1"	
WALL 1245	TURN 180°	26-42"/66-107cm	Bedroom	-10° / + 10°		3			up to 53 cm / 20.9"	
WALL 1345	TURN 180°	32-55"/81-140cm	Living room	-10° / + 10°		3			up to 53 cm / 20.9"	
THIN 225	TURN 120°	26-42"/66-107cm	Bedroom	20°	up to 120°	2	✔	3,5 cm / 1.4" from the wall		
THIN 325	TURN 120°	32-55"/81-140cm	Living room	20°	up to 120°	2	✔	3,5 cm / 1.4" from the wall		

	Distance to the wall	Material	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	25 mm	PC/ABS Aluminium	Black and aluminium	5 years	8372050	8172285318566	5	11
	25 mm	PC/ABS Aluminium	Black and aluminium	Life long	8372060	8712285321085	5	11
	25 mm	PC/ABS Aluminium	Black and aluminium	Life long	8372070	8712285320361	20	12
		PC/ABS Aluminium	Black and aluminium	5 years	8372150	8712285319266	5	12
		PC/ABS Aluminium	Black and aluminium	Life long	8373460	8712285321160	5	13
		PC/ABS Aluminium	Black and aluminium	Life long	8373470	8712285320408	10	13
	25 mm	PC/ABS Aluminium	Black and aluminium	Life long	8373160	8712285321122	-	14
	25 mm	PC/ABS Aluminium	Black and aluminium	Life long	8374310	8712285321306	5	14
		PC	Black	-	8371100	8172285318627	10	15
		Leather	Black	5 years	8371200	8712285320248	10	15

	Power volt	Material	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	EU and UK plug	-	Black	2 years	8373200	8712285318023	4	16
		-	Black	2 years	8373220	8712285318061	6	16
		-	Black	2 years	8373210	8712285318047	6	16
		Steel	Black	Life long	8373120	8712285321580	1	17
		Steel	Black	Life long	8373110	8712285321566	1	17
		Steel	White	Life long	8373100	8712285321542	1	17

	TüV certified	Max. VESA	Max. TV thickness	Max. TV Weight	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	✔	400 x 400	4,5 cm / 1.8"	25 kg / 55 lbs	black / grey	Life time	8393552	8712285317484	2	23
	✔	400 x 400	4,5 cm / 1.8"	18 kg / 40 lbs	black / grey	Life time	8392452	8712285319563	3	23
	✔	600 x 400	4,5 cm / 1.8"	25 kg / 55 lbs	black / grey	Life time	8393452	8712285317422	3	23
	✔	100 x 100		15 kg / 33 lbs	black or silver	Life time	8353010 / 8353014	8712285320149 / 8712285320484	3	24
	✔	200 x 200		15 kg / 33 lbs	black or silver	Life time	8353020 / 8353024	8712285320163 / 8712285320521	3	24
	✔	400 x 400		30 kg / 66 lbs	black or silver	Life time	8353030 / 8353034	8712285320187 / 8712285320569	3	25
	✔	700 x 400		45 kg / 99 lbs	black or silver	Life time	8353040 / 8353044	8712285320200 / 8712285320606	3	25
	✔	400 x 400	4,5 cm / 1.8"	18 kg / 40 lbs	black / grey	Life time	8392252	8712285319549	3	26
	✔	600 x 400	4,5 cm / 1.8"	25 kg / 55 lbs	black / grey	Life time	8393252	8712285319587	3	26

WALL MOUNTS

Type nr.		Screen size	Generally used for	Adjustablility			Fingertip Movement	Distance to the wall		
				Tilt	Turn	Number of pivot points				
WALL 1025	TURN 120°	17-26"/43-66cm	Workspace	-10° / + 10°	up to 120°	2				
WALL 1125	TURN 120°	19-32"/48-81cm	Kitchen	-10° / + 10°	up to 120°	2				
WALL 1225	TURN 120°	26-42"/66-107cm	Bedroom	-10° / + 10°	up to 120°	2				
WALL 1325	TURN 120°	32-55"/81-140cm	Living room	-10° / + 10°	up to 120°	2				
WALL 1020	TURN 60°	17-26"/43-66cm	Workspace	-10° / + 10°	up to 60°	1				
WALL 1120	TURN 60°	19-32"/48-81cm	Kitchen	-10° / + 10°	up to 60°	1				
THIN 215	TILT 15°	26-42"/66-107cm	Bedroom	15°			✔	2 cm / 0.8" from the wall		
THIN 315	TILT 15°	32-55"/81-140cm	Living room	15°			✔	2 cm / 0.8" from the wall		
WALL 1015	TILT 15°	17-26"/43-66cm	Workspace	15°						
WALL 1115	TILT 15°	19-32"/48-81cm	Kitchen	15°						
WALL 1215	TILT 15°	26-42"/66-107cm	Bedroom	15°						
WALL 1315	TILT 15°	32-55"/81-140cm	Living room	15°						
THIN 205		26-42"/66-107cm	Bedroom					1,5 cm / 0.6" from the wall		
THIN 305		32-55"/81-140cm	Living room					1,5 cm / 0.6" from the wall		
WALL 1005		17-26"/43-66cm	Workspace					2 cm / 0.8" from the wall		
WALL 1105		19-32"/48-81cm	Kitchen					2 cm / 0.8" from the wall		
WALL 1205		26-42"/66-107cm	Bedroom					2,5 cm / 1" from the wall		
WALL 1305		32-55"/81-140cm	Living room					2,5 cm / 1" from the wall		

Type nr.		Screen size	Screen category	Adjustablility			Fingertip Movement (by SMM)	CIS® - Cable inlay system	SPS - Screen Protection System	
				Tilt	Turn	Full Turn				
EFW 8145	Motion+	19-26"/48-66cm	Small	+ EFA 8810		✔	✔	✔	✔	
EFW 8245	Motion+	26-37"/66-94cm	Medium	+ EFA 8810		✔	✔	✔	✔	
EFW 8345	Motion+	32-50"/81-127cm	Large	+ EFA 8820		✔	✔	✔	✔	
EFW 8125	Motion	19-26"/48-66cm	Small	+ EFA 8810	✔		✔	✔	optional	
EFW 8225	Motion	26-37"/66-94cm	Medium	+ EFA 8810	✔		✔	✔	optional	
EFW 8325	Motion	32-50"/81-127cm	Large	+ EFA 8820	✔		✔	✔	optional	
EFW 8425	Motion	40-65"/101-165cm	Extra Large	+ EFA 8820	✔		✔	✔	optional	
EFW 8105	SuperFlat	19-26"/48-66cm	Small	+ EFA 8810				✔		
EFW 8205	SuperFlat	26-37"/66-94cm	Medium	+ EFA 8810				✔		
EFW 8305	SuperFlat	32-50"/81-127cm	Large	+ EFA 8820				✔		
EFW 8405	SuperFlat	40-65"/101-165cm	Extra Large	+ EFA 8820				✔		
EFW 6145	Optimally Adjustable	14-26"/35-66cm	Small	✔		✔	✔	✔	✔	
EFW 6245	Optimally Adjustable	23-37"/57-94cm	Medium	✔		✔	✔	✔	✔	
EFW 6345	Optimally Adjustable	32-50"/81-127cm	Large	✔		✔	✔	✔	✔	
EFW 6445	Optimally Adjustable	42-65"/107-165cm	Extra Large	✔		✔	✔	✔	✔	

	TüV certified	Max. VESA	Max. TV thickness	Max. TV Weight	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	✔	100 x 100		15 kg / 33 lbs	black or silver	Life time	8352010 / 8352014	8712285320040 / 8712285320460	3	27
	✔	200 x 200		15 kg / 33 lbs	black or silver	Life time	8352020 / 8353024	8712285320064 / 8712285320507	3	27
	✔	400 x 400		30 kg / 66 lbs	black or silver	Life time	8353020 / 8353024	8712285320088 / 8712285320545	3	28
	✔	700 x 400		45 kg / 99 lbs	black or silver	Life time	8532040 / 8532044	8712285320101 / 8712285320583	3	28
	✔	100 x 100		15 kg / 33 lbs	black or silver	Life time	8351060 / 8351064	8712285320620 / 8712285320644	3	29
	✔	200 x 200		15 kg / 33 lbs	black or silver	Life time	8351070 / 8351074	8712285320668 / 8712285320682	3	29
	✔	400 x 400	4,5 cm / 1.8"	18 kg / 40 lbs	black / grey	Life time	8392152	8712285319525	6	30
	✔	600 x 400	4,5 cm / 1.8"	25 kg / 55 lbs	black / grey	Life time	8393152	8712285317446	5	30
	✔	100 x 100		30 kg / 66 lbs	black	Life time	8351010	8712285319945	10	31
	✔	200 x 200		30 kg / 66 lbs	black	Life time	8351020	8712285319969	10	31
	✔	400 x 400		70 kg / 154 lbs	black	Life time	8351030	8712285319983	3	32
	✔	700 x 400		70 kg / 154 lbs	black	Life time	8351040	8712285320002	3	32
	✔	400 x 400		25 kg / 55 lbs	black / grey	Life time	8392052	8712285319501	6	33
	✔	600 x 400		40 kg / 88 lbs	black / grey	Life time	8393052	8712285317460	6	33
	✔	100 x 100		30 kg / 66 lbs	black	Life time	8350010	8712285319846	10	34
	✔	200 x 200		30 kg / 66 lbs	black	Life time	8350020	8712285319860	10	34
	✔	400 x 400		70 kg / 154 lbs	black	Life time	8350030	8712285319884	3	35
	✔	700 x 400		70 kg / 154 lbs	black	Life time	8350040	8712285319907	3	35

	TüV certified	VESA	Distance to wall (mm)	Max. TV Weight	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	✔	75 x 75 / 200 x 200	62	20 kg / 44 lbs	black / grey	Lifelong	8381450	8712285315442	4	36
	✔	75 x 75 / 500 x 350	83	30 kg / 66 lbs	black / grey	Lifelong	8382450	8712285315503	3	36
	✔	75 x 75 / 800 x 450	103	45 kg / 99 lbs	black / grey	Lifelong	8383450	8712285315589	2	36
	✔	75 x 75 / 200 x 200	61	20 kg / 44 lbs	black / grey	Lifelong	8381250	8712285315428	4	37
	✔	75 x 75 / 500 x 350	76	30 kg / 66 lbs	black / grey	Lifelong	8382250	8712285315480	4	37
	✔	75 x 75 / 800 x 450	87	45 kg / 99 lbs	black / grey	Lifelong	8383250	8712285315541	3	38
	✔	75 x 75 / 1100 x 550	99	70 kg / 154 lbs	black / grey	Lifelong	8384250	8712285315664	2	38
	✔	75 x 75 / 200 x 200	20	20 kg / 44 lbs	black / grey	Lifelong	8381050	8712285315404	8	39
	✔	75 x 75 / 500 x 350	22	30 kg / 66 lbs	black / grey	Lifelong	8382050	8712285315466	4	39
	✔	75 x 75 / 800 x 450	24	45 kg / 99 lbs	black / grey	Lifelong	8383050	8712285315527	4	40
	✔	75 x 75 / 1100 x 550	24	70 kg / 154 lbs	black / grey	Lifelong	8384050	8712285315640	4	40
	✔	75 x 75 / 200 x 100	68	3-15 kg / 6-33 lbs	black / silver	10 yrs	8323504	8712285308901	3	45
	✔	75 x 75 / 200 x 200	94	10-35 kg / 22-77 lbs	black / silver	10 yrs	8324504	8712285308963	2	45
	✔	100 x 100 / 700 x 450	98	15-45 kg / 33-99 lbs	black / silver	10 yrs	8325504	8712285309021	2	45
	✔	100 x 100 / 950 x 550	108	15-55 kg / 33-121 lbs	black / silver	10 yrs	8327504	8712285312847	1	46

ACCESSORIES

Type nr.		Screen size	Screen category	Must be combined with			Universal	Part of Modular System	Double stud mounting	CIS®	
				Wall mount	Floor/Table	Column System					
EFA 8835	Cable column			EFW 8xxx				✔		✔	
EFA 8840	Cable column			EFW 8xxx				✔		✔	
EFA 8825	AV multi support				EFF 8340	EFA 8835 EFA 8840		✔			
CABLE 4 (EFA 8740)	Cable cover						✔			✔	
CABLE 8 (EFA 8741)	Cable cover						✔			✔	
EFA 8810	Tilt module	19-37"/48-94cm	Small / Medium	EFW 81xx EFW 82xx							
EFA 8820	Tilt module	32-65"/61-165cm	Large / Extra Large	EFW 83xx EFW 84xx							
EFA 8890	Stud adapter	26-37"/66-94cm	Medium	EFW 8245					✔		
EFA 8895	Stud adapter Large	32-50"/81-127cm	Large	EFW 8345					✔		
EFA 6825	Audio/DVD support	width 7.3-10.6"/width 18.5-27cm				EFA 6840		✔			
EFA 6840	Cable column			EFW 6xxx				✔		✔	
EMC 5000	LCD headrest support		Small				✔				

FLOOR STANDS

Type nr.		Screen size	Screen Category	Placement	Adjustablility		CIS®	
				Floor	Turn	Height		
EFF 8230	LED/LCD/Plasma floor stand	26-37"/66-94 cm	Medium	✔	✔	✔	✔	
EFF 8330	LED/LCD/Plasma floor stand	32-50"/81-127cm	Large	✔	✔	✔	✔	
EFF 8340	LED/LCD/Plasma floor stand	32-50"/81-127cm	Large	✔	✔	✔	✔	

PROJECTOR MOUNTS

Type nr.		Placement		Adjustablility			CIS®	
		Ceiling	Wall	Tilt	Turn	Roll		
EPC 6545	Ceiling solution	✔		✔	✔	✔	✔	
EPW 6565	Wall solution		✔	✔	✔	✔	✔	

CEILING MOUNT

Type nr.		Screen size	Screen Category	Placement	Adjustablility	CIS®	
				Ceiling	Turn		
EFC 6215	LCD Ceiling mount	23-32"/58-81cm	Medium	✔	✔	✔	

	TüV certified	Length	Max.TV Weight	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	✔	64 cm / 25,2"	30 kg / 66 lbs	black / grey	Lifelong	8388350	8712285315787	3	42
	✔	94 cm / 37"	40 kg / 88 lbs	black / grey	Lifelong	8388400	8712285315800	3	42
	✔		10 kg / 22 lbs	black / grey	Lifelong	8384250	8712285315763	6	42
	✔	94cm / 37" / width 45mm / 1.77"		Silver / White / Black	Lifelong	8387404 / 8387401 / 8387400	8712285316845 / 8712285316821 / 8712285316807	10	43
	✔	94cm / 37" / width 70mm / 2.76"		Silver / White / Black	Lifelong	8387414 / 8387411 / 8387410	8712285316890 / 8712285316883 / 8712285316869	10	43
	✔		30 kg / 66 lbs	black / grey	Lifelong	8388100	8712285315725	6	44
	✔		45 kg / 99 lbs	black / grey	Lifelong	8388200	8712285315749	6	44
	✔		30 kg / 66 lbs	black / grey	Lifelong	8388900	8712285315923	10	44
	✔		45 kg / 99 lbs	black / grey	Lifelong	8388950	8712285315824	10	44
	✔		10 kg / 22 lbs	black / silver	10 yrs	8328154	8712285309045	3	46
	✔	93 cm / 36,6"	40 kg / 88 lbs	silver	10 yrs	8328554	8712285311987	5	46
	✔		1,5 kg / 3,3 lbs	black/silver	5 yrs	8323514	8712285312427	4	49

	TüV certified	VESA	Max.TV Weight	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	✔	100 x 100 / 200 x 200	30 kg / 66 lbs	black with 2 colour strips	Lifelong	8382300	8712285317866	1	41
	✔	75 x 75 / 800 x 450	45 kg / 99 lbs	black with 2 colour strips	Lifelong	8383300	8712285317880	1	41
	✔	75 x 75 / 800 x 450	45 kg / 99 lbs	black or white	Lifelong	8383400 8383401	8712285315565 / 8712285316425	1	41

	TüV certified	Mounting Range Min. (mm) Max. (mm)	Distance to ceiling / wall	Max.TV Weight	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	✔	ø 30 / ø 323	76 mm / 3"	10 kg / 22 lbs	black / silver	10 yrs	8027454	8712285311420	3	47
	✔	ø 30 / ø 323	43 mm	10 kg / 22 lbs	black / silver	10 yrs	8023654	8712285311444	3	47

	TüV certified	VESA Min. (mm) Max. (mm)	Max.TV Weight	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	✔	200 x 100 / 200 x 200	30 kg / 66 lbs	silver / black	Lifelong	7262154	8712285318320	1	47

LOUDSPEAKERS WALL MOUNTS / STAND

Type nr.		Loudspeaker Size	Speaker Category	Placement		Adjustablility		Loudspeaker Fixture		CIS®	
				Floor	Wall	Tilt	Turn	Screws	Clamping		
ELW 6600	Wall mount	Satellite	Small		✔	✔	✔	✔			
ELW 6605	Wall mount	Satellite	Medium		✔	✔	✔	✔			
VLB 200	Wall mount	HiFi	Large		✔	✔	✔		✔	✔	
VLB 500	Wall mount	HiFi	Medium		✔	✔	✔	✔			
VLS 615	Stand	HiFi	Small	✔				✔		✔	

DESK MOUNTS

Type nr.		Monitor size	Adjustablility			Interface	VESA	
			Tilt	Turn	Height			
PFD 8522	Monitor desk mount	10-26" / 25-66 cm	✔	✔	✔	Included	MIS-D	
PFD 8523	Monitor desk mount	10-26" / 25-66 cm	✔	✔	✔	Included	MIS-D	
PFD 8541	Monitor desk mount	10-26" / 25-66 cm	✔	✔	✔	Included	MIS-D	
PFD 8543	Monitor desk mount	10-26" / 25-66 cm	✔	✔	✔	Included	MIS-D	
PFA 9102	Dual Monitor adapter	10-22" / 25-55 cm		✔				

Physix by Vogel's - WALL MOUNTS

Type nr.		Screen size	Screen category	Adjustablility			Fingertip Movement (by SMM)	CIS® - Cable inlay system	SPS - Screen Protection System	
				Tilt	Turn	Full Turn				
PHW 400S	Turn & Tilt	19-26"/ 48-66cm	Small	✔	✔	✔				
PHW 400M	Turn & Tilt	26-37"/ 66-94cm	Medium	✔	✔	✔				
PHW 400L	Turn & Tilt	32-50"/ 81-127cm	Large	✔	✔	✔				
PHW 300S	Turn	19-26"/ 48-66cm	Small		✔	✔				
PHW 300M	Turn	26-37"/ 66-94cm	Medium		✔	✔				
PHW 300L	Turn	32-50"/ 81-127cm	Large		✔	✔				
PHW 200S	Tilt	19-26"/ 48-66cm	Small	✔						
PHW 200M	Tilt	26-37"/ 66-94cm	Medium	✔						
PHW 200L	Tilt	32-50"/ 81-127cm	Large	✔						
PHW 200XL	Tilt	40-65"/ 102-165cm	Extra Large	✔						
PHW 100S	Flat	19-26"/ 48-66cm	Small							
PHW 100M	Flat	26-37"/ 66-94cm	Medium							
PHW 100L	Flat	32-50"/ 81-127cm	Large							
PHW 100XL	Flat	40-65"/ 102-165cm	Extra Large							

Physix by Vogel's - ACCESSORIES

Type nr.		Screen size	Screen category	Must be combined with			Universal	Part of Modular System	Double stud mounting	CIS®	
				Wall mount	Floor/Table	Column System					
PHA 500	Cable sleeve			PHW xxx			✔			✔	
PHA 600	Cable strip			PHW xxx			✔			✔	
PHA 700	AV multi support					PHA 600	✔				

SPECIFICATIONS

	TüV certified	Max.TV Weight	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	✔	1,5 kg / 3,3 lbs	black / silver	10 yrs	8126004	8712285312588	6	48
	✔	10 kg / 2,2 lbs	black / silver	10 yrs	8126054	8712285313080	6	48
	✔	20 kg / 44 lbs	black	5 yrs	8120200	8712285001024	3	48
	✔	5 kg / 11 lbs	black / silver	5 yrs	8105000 8105004	8712285314186 8712285312564	6	49
	✔	1,5 kg / 3,3 lbs	silver	5 yrs	8200154	8712285310324	2	49

	Max. Weight	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	13 kg / 28 lbs	black / grey	10 yrs	7185224	8712285318344	5	50
	13 kg / 28 lbs	black / grey	10 yrs	7185234	8712285318368	5	50
	7 kg / 12,5 lbs	black / grey	10 yrs	7185414	8712285318405	5	51
	11 kg / 24,2 lbs	black / grey	10 yrs	7185434	8712285318429	5	51
	2 x 6 kg / 2 x 13,2 lbs	black / grey	10 yrs	7191024	8712285318382	5	51

	TüV certified	VESA	Distance to wall (mm)	Max.TV Weight	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	✔	Max. 200 x 200	Min. / Max. 42 / 356	20 kg / 44 lbs	black	Lifetime	6301400	8712285320781	4	53
	✔	Max. 400 x 400	Min. / Max. 46 / 486	30 kg / 66 lbs	black	Lifetime	6302400	8712285320804	3	53
	✔	Max. 600 x 400	Min. / Max. 46 / 486	45 kg / 99 lbs	black	Lifetime	6303400	8712285320828	2	53
	✔	75 x 75 / 200 x 200	62	20 kg / 44 lbs	black	Lifetime	6301300	8712285315169	4	54
	✔	100 x 100 / 500 x 350	70	30 kg / 66 lbs	black	Lifetime	6302300	8172285315220	3	54
	✔	100 x 100 / 800 x 450	70	45 kg / 99 lbs	black	Lifetime	6303300	8712285315282	2	54
	✔	75 x 75 / 200 x 200	52	20 kg / 44 lbs	black	Lifetime	6301200	8172285315145	4	55
	✔	100 x 100 / 500 x 350	52	30 kg / 66 lbs	black	Lifetime	6302200	8172285315206	3	55
	✔	100 x 100 / 800 x 450	52	45 kg / 99 lbs	black	Lifetime	6303200	8712285315268	3	56
	✔	100 x 100 / 950 x 550	52	70 kg / 154 lbs	black	Lifetime	6304200	8712285315329	2	56
	✔	75 x 75 / 200 x 200	27	20 kg / 44 lbs	black	Lifetime	6301100	8712285315121	4	57
	✔	100 x 100 / 500 x 350	27	30 kg / 66 lbs	black	Lifetime	6302100	8712285315183	3	57
	✔	100 x 100 / 800 x 450	27	45 kg / 99 lbs	black	Lifetime	6303100	8712285315244	3	58
	✔	100 x 100 / 950 x 550	27	70 kg / 154 lbs	black	Lifetime	6304100	871285315305	2	58

	TüV certified	VESA Min. (mm) Max. (mm)	Length	Max.TV Weight	Colour	Guarantee	Item nr.	EAN code single carton	# in outer carton	Page
	✔		25-50 cm/9,8-19,7" / width 10,5 cm/4"		black	Lifetime	6308500	8712285315343	20	59
	✔		1m / 39,4" / width 84,4cm/ 3.3"		black	Lifetime	6308600	8712285315367	4	59
				10 kg / 22 lbs	black	Lifetime	6308700	8712285315381	4	59

vogel's® | expanding experiences

Also available: Vogel's Pro-AV cataloque gives a complete overview of all Vogel's mounting solutions for the professional market.

Vogel's Products B.V.
Eindhoven, The Netherlands

PX 53370 Vogel's Holding BV 2011© All rights reserved.
Subject to printing errors, technical and price amendmets.

* For THIN and WALL products

2008

WWW.VOGELS.COM